

**SPECIFICATION SHEET**

**MOBILE DUAL SCREEN SYSTEM**

**FRAME**

<b>Dimensions</b>	Width – Frame 1300mm Columns 980mm Height of Frame – 2000mm Width of Base – Front 1200 Rear 920mm Depth of Base – 750mm
<b>Material</b>	Aluminum Extrusion Legs 2.5mm Steel Plate Support Brackets 3.0mm
<b>Finish</b>	Surface Treated Powder Coating Texture Finish to 2.0mm Thickness
<b>Height Range</b>	Up / Down – 600mm – 1200mm
<b>Lifting Design</b>	Manual Adjustable

**ELECTRICAL**

<b>Power Board</b>	5 Way PDU Aluminum Rack Mount CE. 3 Stage Surge Protection. CE
--------------------	----------------------------------------------------------------

**SHIPPING**

<b>Dimensions</b>	<b>TBMS-MOB-DUAL Box 1/5 Brackets</b> 740mm x 280mm x 125mm -- Weight 16kg
	<b>TBMS-MOB-DUAL Box 2/5 Frame</b> 1370mm x 340mm x 150mm -- Weight 16kg
	<b>TBMS-MOB-DUAL Box 3/5 Extrusion</b> 1900mm x 240mm x 150mm -- Weight 20kg
	<b>TBMS-MOB-DUAL Box 4/5 Actuator</b> 760mm x 220mm x 110mm -- Weight 6kg
	<b>TBMS-MOB-DUAL Box 5/5 Base</b> 1250mm x 760mm x 190mm -- Weight 22kg
	<b>TBMS-MOB-DUAL Box 1/1 Frame Extension</b> 720mm x 440mm x 60mm -- Weight 14kg



**MODEL: TBMS-MOB-DUAL**

**SPECIFICATION SHEET**

**MOBILE DUAL SCREEN SYSTEM WITH CABINET**

**FRAME**

<b>Dimensions</b>	Width – Frame 1300mm Columns 980mm Height of Frame – 2000mm Width of Base – Front 1200 Rear 920mm Depth of Base – 750mm
<b>Material</b>	Aluminum Extrusion Legs 2.5mm Steel Plate Support Brackets 3.0mm
<b>Finish</b>	Surface Treated Powder Coating Texture Finish to 2.0mm Thickness
<b>Height Range</b>	Up / Down – 600mm – 1200mm
<b>Lifting Design</b>	Manual Adjustable
<b>Cabinet</b>	Lockable metal AV Cabinet 960mm x 500mm x 500mm

**ELECTRICAL**

<b>Power Board</b>	5 Way PDU Aluminum Rack Mount CE. 3 Stage Surge Protection. CE
--------------------	----------------------------------------------------------------

**SHIPPING**

<b>Dimensions</b>	<p><b>TBMS-MOB-DUAL-CAB Box 1/5 Brackets</b> 740mm x 280mm x 125mm -- Weight 16kg</p> <p><b>TBMS-MOB-DUAL-CAB Box 2/5 Frame</b> 1370mm x 340mm x 150mm -- Weight 16kg</p> <p><b>TBMS-MOB-DUAL-CAB Box 3/5 Extrusion</b> 1900mm x 240mm x 150mm -- Weight 20kg</p> <p><b>TBMS-MOB-DUAL-CAB Box 4/5 Actuator</b> 760mm x 220mm x 110mm -- Weight 6kg</p> <p><b>TBMS-MOB-DUAL-CAB Box 5/5 Base</b> 1250mm x 760mm x 190mm -- Weight 22kg</p> <p><b>TBMS-MOB-DUAL-CAB Box 1/1 Frame Extension</b> 720mm x 440mm x 60mm -- Weight 14kg</p> <p><b>TBMS-MOB-DUAL-CAB Box 1/1 Cabinet</b> 920mm x 520mm x 300mm -- Weight 18kg</p>
-------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



**MODEL: TBMS-MOB-DUAL-CAB**

**KINDY TROLLEY**

**FRAME**

<b>Dimensions</b>	Base – 1620mm x 500mm x 540mm Back – 1620mm x 1000mm
<b>Material</b>	MDF 18mm
<b>Finish</b>	Red Melamine
<b>Wheels</b>	4 x 75mm Ball Bearing, 2 with Brake.
<b>Height Range</b>	540mm
<b>Draws</b>	4 x Removable Draws 390mm x 390mm x 420mm
<b>Laptop Tray</b>	1 x Laptop Tray with Lockable Hinges. 450mm x 350mm
<b>Whiteboard</b>	1 x Standard Whiteboard 1640mm x 900mm
<b>Brackets</b>	2 x T Brackets for Mounting Screen. 360mm x 900mm. VESA

**ELECTRICAL**

<b>Power Board</b>	5 Way PDU Aluminum Rack Mount CE. 3 Stage Surge Protection. CE
--------------------	----------------------------------------------------------------

**SHIPPING**

<b>Dimensions</b>	<b>TBMS-KINDY Box 1/2</b> 1670mm x 940mm x 70mm -- Weight 52kg
	<b>TBMS-KINDY Box 2/2</b> 1700mm x 530mm x 100mm -- Weight 56kg
	<b>TBMS-KINDY Brackets 1/1</b> 1020mm x 400mm x 60mm -- Weight 8kg
	<b>TBMS-KINDY Whiteboard 1/1</b> 1670mm x 920mm x 30mm -- Weight 9kg
	<b>TBMS-KINDY Accessories 1/1</b> 250mm x 250mm x 200mm -- Weight 8kg



**MODEL: TBMS-KINDY**

## SPECIFICATION SHEET

### WALL MOUNT HEIGHT ADJUSTABLE – ACTUATOR LIFT

#### FRAME

<b>Dimensions</b>	Width of Frame – 970mm Height of Frame – 1850mm Distance of Frame from Wall – 80mm
<b>Material</b>	Aluminum Extrusion Legs 2.5mm
<b>Finish</b>	Steel Plate Support Brackets 3.0mm
<b>Wheels</b>	Surface Treated Powder Coating Texture Finish to 2.0mm Thickness
<b>Height Range</b>	Range Up / Down – 300mm – 1300mm (Lower Screen Mounting Bolt)
<b>Lifting Design</b>	Single Linear Actuator

#### ACTUATOR

<b>Linear Actuator</b>	Quantity 1 Load Capacity – 4000N Speed – 4mm/s Input – 24VDC Stroke Length – 500mm Retracted Length – 695mm Overload Protection – Integrated into Control Box Duty Cycle – 10% Max, 2 Min Continuous Use Material – Alloy Tube 2.5mm Operating Temp - +5deg - +40deg Certification - CE
<b>Control Box</b>	Output – 2 Output Voltage – 230 – 240 VAC Power – 50 Watts Certification - CE
<b>Switch</b>	2 Button – Up / Down Connection – Cat5 to Controller Certification – CE
<b>Power Board</b>	5 Way PDU Aluminum Rack Mount CE. Surge Protection Fitted. CE

#### SHIPPING

<b>Dimensions</b>	<b>TBMS-WALL-HA-A Box 1/4 – Brackets</b> 740mm x 280mm x 125mm -- Weight 16kg
	<b>TBMS-WALL-HA-A Box 2/4 – Frame</b> 1370mm x 340mm x 150mm -- Weight 16kg
	<b>TBMS-WALL-HA-A Box 3/4 – Extrusion</b> 1900mm x 240mm x 150mm -- Weight 20kg
	<b>TBMS-WALL-HA-A Box 4/4</b> Actuator – 760mm x 220mm x 110mm -- Weight 6kg



### MODEL: TBMS-WALL-HA-A

**SPECIFICATION SHEET**

**WALL MOUNT FIXED HEIGHT**

**FRAME**

**Dimensions**

Width of Frame – 970mm  
Height of Frame – 1850mm  
Distance of Frame from Wall – 80mm

**Material**

Aluminum Extrusion Legs 2.5mm  
Steel Plate Support Brackets 3.0mm

**Finish**

Surface Treated Powder Coating Texture Finish to 2.0mm Thickness

**SHIPPING**

**Dimensions**

**TBMS-WALL-HA-A Box 1/4 – Brackets**

740mm x 280mm x 125mm -- Weight 16kg

**TBMS-WALL-HA-A Box 2/4 – Frame**

1370mm x 340mm x 150mm -- Weight 16kg

**TBMS-WALL-HA-A Box 3/4 – Extrusion**

1900mm x 240mm x 150mm -- Weight 20kg

**TBMS-WALL-HA-A Box 4/4**



**MODEL: TBMS-WALL-FH**

**TABLE EASEL**

**FRAME**

<b>Dimensions</b>	Base – 1220mm x 710mm x 80mm Frame – 1200mm x 900mm x 140mm
<b>Material</b>	Oval Tube 2.5mm, Steel Plate 3.0mm
<b>Finish</b>	Surface Treated Powder Coating Texture Finish to 2.0mm Thickness
<b>Wheels</b>	4 x 100mm x 32mm Ball Bearing with Brake. M12 Thread.
<b>Height Range</b>	Bottom of Screen Vertical Position – 250mm – 950mm Table Position – 700mm x 1300mm Easel Position – 250mm x 950mm
<b>Tilt Range</b>	0Deg – 90deg
<b>Lifting Design</b>	Twin Lifting Columns
<b>Tilt Design</b>	Single Actuator – Upper and Lower HDPE Bushings

**ACTUATOR** *(CONTINUE NEXT PAGE)*

<b>Lifting Columns</b>	Quantity 2 Load Capacity – 800N Speed – 22mm/s Input – 24VDC Stroke Length – 500mm Retracted Length – 650mm Overload Protection – Integrated into Control Box Duty Cycle – 10% Max, 2 Min Continuous Use Material – Steel 2.5mm Operating Temp - +5deg - +40deg Certification - CE
------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Tilt Actuator</b>	Quantity 2 Load Capacity – 4000N Speed – 4mm/s Input – 24VDC Stroke Length – 500mm Retracted Length – 695mm Overload Protection – Integrated into Control Box Duty Cycle – 10% Max, 2 Min Continuous Use Material – Alluminium Tube Operating Temp - 0deg - +40deg Certification - CE
----------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



**MODEL: TBMS-MOB-TE**

SPECIFICATION SHEET

TABLE EASEL

ACTUATOR *(CONTINUED)*

**Control Box**

Output – 3 Output  
Voltage – 230 – 240 VAC  
Power – 360 Watts  
Certification - CE

**Switch**

4 Button – Up / Down / Tilt1 / Tilt2  
Connection – Cat5 to Controller  
Certification – CE

**Power Board**

5 Way PDU Alluminium Rack Mount CE. 3 Stage Surge Protector. CE

SHIPPING

**Dimensions**

**TBMS-MOB-TE Box 1/3 Frame**

800mm x 500mm x 150mm -- Weight 28kg

**TBMS-MOB-TE Box 2/3 Base**

1240mm x 780mm x 90mm -- Weight 24kg

**TBMS-MOB-TE Box 3/3 Actuator**

760mm x 330mm x 120mm -- Weight 16kg



**MODEL: TBMS-MOB-TE**

## SPECIFICATION SHEET

### MOBILE HEIGHT ADJUSTABLE – COLUMN LIFT

#### FRAME

<b>Dimensions</b>	Base – 1220mm x 710mm x 80mm Frame – 1200mm x 900mm x 140mm
<b>Material</b>	Oval Tube 2.5mm, Steel Plate 3.0mm
<b>Finish</b>	Surface Treated Powder Coating Texture Finish to 2.0mm Thickness
<b>Wheels</b>	4 x 100mm x 32mm Ball Bearing with Brake. M12 Thread.
<b>Height Range</b>	Up / Down – 500mm – 1130mm (Lower Screen Mounting Bolt)
<b>Tilt Range</b>	0Deg – 90deg
<b>Lifting Design</b>	Twin Lifting Columns

#### ACTUATOR

<b>Lifting Columns</b>	Quantity 2 Load Capacity – 800N Speed – 22mm/s Input – 24VDC Stroke Length – 500mm Retracted Length – 650mm Overload Protection – Integrated into Control Box Duty Cycle – 10% Max, 2 Min Continuous Use Material – Steel 2.5mm Operating Temp - +5deg - +40deg Certification - CE
<b>Control Box</b>	Output – 2 Output Voltage – 230 – 240 VAC Power – 360 Watts Certification - CE
<b>Switch</b>	4 Button – Up / Down Connection – Cat5 to Controller Certification – CE
<b>Power Board</b>	5 Way PDU Alluminium Rack Mount CE. 3 Stage Surge Protection.

#### SHIPPING

<b>Dimensions</b>	<b>TBMS-MOB-HA-C Box 1/3 Frame</b> 800mm x 550mm x 150mm -- Weight 28kg
	<b>TBMS-MOB-HA-C Box 2/3 Base</b> 1240mm x 780mm x 90mm -- Weight 24kg
	<b>TBMS-MOB-HA-C Box 3/3 Actuator</b> 700mm x 330mm x 150mm -- Weight 16kg



### MODEL: TBMS-MOBILE-HA-C



**SPECIFICATION SHEET**

**MOBILE HEIGHT ADJUSTABLE – ACTUATOR LIFT**

**FRAME**

<b>Dimensions</b>	Width – Frame 1300mm Columns 980mm Height of Frame – 2000mm Width of Base – Front 1200 Rear 920mm Depth of Base – 750mm
<b>Material</b>	Aluminum Extrusion Legs 2.5mm Steel Plate Support Brackets 3.0mm
<b>Finish</b>	Surface Treated Powder Coating Texture Finish to 2.0mm Thickness
<b>Height Range</b>	Up / Down – 300mm – 1300mm
<b>Lifting Design</b>	Single Linear Actuator

**ACTUATOR**

<b>Lifting Columns</b>	Quantity 1 Load Capacity – 4000N Speed – 4mm/s Input – 24VDC Stroke Length – 500mm Retracted Length – 695mm Overload Protection – Integrated into Control Box Duty Cycle – 10% Max, 2 Min Continuous Use Material – Alloy Tube 2.5mm Operating Temp - +5deg - +40deg Certification - CE
<b>Control Box</b>	Output – 2 Output Voltage – 230 – 240 VAC Power – 50 Watts Certification - CE
<b>Switch</b>	2 Button – Up / Down Connection – Cat5 to Controller Certification – CE
<b>Power Board</b>	5 Way PDU Aluminum Rack Mount CE. 3 Stage Surge Protection. CE

**SHIPPING**

<b>Dimensions</b>	<b>TBMS-MOB-HA-A Box 1/5 Brackets</b> 740mm x 280mm x 125mm Weight 16kg	<b>TBMS-MOB-HA-A Box 4/5 Actuator</b> 760mm x 220mm x 110mm 6kg
	<b>TBMS-MOB-HA-A Box 2/5 Frame</b> 1370mm x 340mm x 150mm Weight 16kg	<b>TBMS-MOB-HA-A Box 5/5 Base</b> 1250mm x 760mm x 190mm 22kg
	<b>TBMS-MOB-HA-A Box 3/5 Extrusion</b> 1900mm x 240mm x 150mm 20kg	



**MODEL: TBMS-MOB-HA-A**

**SPECIFICATION SHEET**

**MOBILE FIXED HEIGHT**

**FRAME**

**Dimensions**

Width – Frame 1300mm Columns 980mm  
Height of Frame – 2000mm  
Width of Base – Front 1200 Rear 920mm  
Depth of Base – 750mm

**Material**

Aluminum Extrusion Legs 2.5mm  
Steel Plate Support Brackets 3.0mm

**Finish**

Surface Treated Powder Coating Texture Finish to 2.0mm Thickness

**SHIPPING**

**Dimensions**

**TBMS-MOB-HA-A Box 1/5 Brackets**

740mm x 280mm x 125mm -- Weight 16kg

**TBMS-MOB-HA-A Box 2/5 Frame**

1370mm x 340mm x 150mm -- Weight 16kg

**TBMS-MOB-HA-A Box 3/5 Extrusion**

1900mm x 240mm x 150mm -- Weight 20kg

**TBMS-MOB-HA-A Box 4/5**

**TBMS-MOB-HA-A Box 5/5 Base 1250mm**

x 760mm x 190mm -- Weight 22kg



**MODEL: TBMS-MOB-FH**